Wednesday, 8/15/2007 7:53:09 AM User: Jean-Luc Menard **Process Sheet** : FLOOR PROTCTOR FWD LH **Drawing Name** : CU-DAR001 Dart Helicopters Services Customer Job Number : 33897 : 11227 **Estimate Number ENGINEERING** : D32811 Part Number :NA P.O. Number D3281 REVE UMIN APPROVAL S.O. No. : HA **Drawing Number** : 8/15/2007 This Issue Project Number Prsht Rev. : R&D THERMOFORMING **Drawing Revision** First Issue 07.10.16 Material : 30658 **Previous Run** Qty: 10 Um: Each : 8/22/2007 **Due Date** Written By Checked & Approved By New issue KJ/JLM Est Rev:A 04.07.01 Comment Est. Rev B. 07.16.2007 Thermoform in house DL **Additional Product** Job Number: Description: **Machine Or Operation:** Seq. #: F6002 701 lexan black 1.0 43.6000 sf(s) 4.3600 sf(s)/Unit Total: Comment: Qtv.: lexan black .125" Material Batch # M (03735 M 105952. HAND FINISHING THERMOFORMING 2.0 HAND FINISH TH Comment: HAND FINISHING THERMOFORMING 1) Cut Blanks THERMOFORMING MACHINE THERMOFORMING 3.0 Comment: THERMOFORMING MACHINE Thermoform as per Dwg. D32811and Folio FTA 007 Dwg. Rev. Folio Rev. INSPECT PARTS AS THEY COME OFF MACHINE 4.0 QC2

Comment: INSPECT PARTS AS THEY COME OFF MACHINE


	nesday, 8/15/2007 7:53:09 AM -Luc Menard	Process Sheet
Customer:	CU-DAR001 Dart Helicopters Services	Drawing Name: FLOOR PROTCTOR FWD LH
Job Number:	33897	Part Number: D32811
Job Number:		
Seq. #:	Machine Or Operation:	Description :
5.0	HAND FINISH TH	HAND FINISHING THERMOFORMING
Comme	ent: HAND FINISHING THERMOFORMING	X10 DL. 07/10/25 BB 07-10-05'
	1) Trim to Finished Dimensions	
6.0	QC2	INSPECT PARTS AS THEY COME OFF MACHINE
Comme	ent: INSPECT PARTS AS THEY COME OFF	MACHINE χ γ .
	Check Surface finish for undesired ma	UL 07/10/05
7.0	Check dimensions to ensure conformity QC5	INSPECT WORK TO CURRENT STEP
		courtine Recall
Comme 8.0	PACKAGING 1	PACKAGING RESOURCE #1
		APPROVALE OF THE STATE OF THE S
9.0	ent: PACKAGING RESOURCE #1 QC21	FINAL INSPECTIONW/O RELEASE
		FINAL INSPECTIONW/O RELEASE
Comme	ent: FINAL INSPECTION/W/O RELEASE	115/11/2
Job Completion		POSITIVE RECALL EFFECTIVE OF ON HE AUTH
		RELEASED LE DATE 57.11.06
		į

Page 2

Form: rprocess



DESIG	· OP	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
CHECK	ŒĐ 41	APPROVED 41	DRAWING NO. REV. B
	#	一概	D3281 SHEET 1 OF 3
DATE	W.		TITLE SCALE
05.1	1.25		FLOOR PROTECTOR 1:5
Α		04.05.03	NEW ISSUE
В		05.11.25	NOW LEXAN; DIMS AS MANUFACTURED



D3281-1 FLOOR PROTECTOR, FWD LH


- 1) THERMOFORM D3281-1 USING MOLD D3281-1T1, TRIM USING D3281-1T2
- 2) MATERIAL: LEXAN F6006 BLACK No.700, 0.125 THICK
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) MIN. THICKNESS AFTER FORMING IS 0.080" EXCEPT AS SHOWN

Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



			The Allegan of Control of the Contro
DESIGN	DRAWN BY	DART AEROS HAWKESBURY, ONT.	• • • • • • • •
CHECKED 44	APPROVED	DRAWING NO.	REV. 8
-	all all	D3281	SHEET 2 OF 3
DATE		TILE '	SCALE
05.11.25		FLOOR PROTECTOR	1:5



D3281-2 FLOOR PROTECTOR, FWD RH


- 1) THERMOFORM D3281-2 USING MOLD D3281-2T1, TRIM USING D3281-2T2
- 2) MATERIAL: LEXAN F6006 BLACK No.700, 0.125 THICK
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) MIN. THICKNESS AFTER FORMING IS 0.080" EXCEPT AS SHOWN

COPYRIGHT © 2004 by DART AEROSPACE LTD


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN	DRAWN BY	DART AEROSF HAWKESBURY, ONTAF	PACE LTD
CHECKED AN	APPROVED	DRAWING NO.	REV. 8
位	t	D3281	SHEET 3 OF 3
DATE		TITLE	SCALE
05.11.25		FLOOR PROTECTOR	1:5








D3281-3 FLOOR PROTECTOR, AFT LH (SHOWN) D3281-4 FLOOR PROTECTOR, AFT RH (OPPOSITE)

- 1) THERMOFORM D3281-3 USING MOLD D3281-3T1, TRIM USING D3281-3T2 THERMOFORM D3281-4 USING MOLD D3281-4T1, TRIM USING D3281-4T2
- 2) MATERIAL: LEXAN F6006 BLACK No.700, 0.125 THICK
- ALL DIMENSIONS ARE IN INCHES
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) MIN. THICKNESS AFTER FORMING IS 0.080" EXCEPT AS SHOWN

Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



Dart Aerospace Ltd

	WORK ORDER C	WORK ORDER CHANGES							
STEP	PROCEDURE CHANGE				Approval Chief Eng / Prod Mgr	Approval QC Inspector			
	STEP					STEP PROCEDURE CHANGE By Date Qty Chief Eng /			

Part No:	PAR #:	Fault Category:	NCR: Yes	No	DQA:	Date: _	
			QA: N	I/C C	losed:	Date:	

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Corrective Action Section B				Verification	Approval	Approval
DAIL	OILI	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	QC Inspector
67,10.3	6	& parts not formed enough-material batch M103735	W	60 1 11 6 4 8	07/10/15	5	M	
		batch Milesis	od inlos	•		4/11/29	07/11/05	03/142
						•		

NOTE: Date & initial all entries

DART AEROSPACE LI	TD			1	NORK ORDER:	3389.7
Description: R44 Flooi	r Protector Front L	.Н			Part Number:	D3281-1
noncetion Durat D22	004 Pay 6	<i>î</i>				Page 1 of 1
nspection Dwg: D32	281 Rev: 18	1 - 1		···-		rage rorr
	C	prelim mery	,			
		RTICLE INS		ON CHEC	KLIST	
	\boxtimes	First Articl	e 🗌	Prototype	•	
		(Step 4) Th	nermofo	rming		
		Visual Inspe				
		V ISUUI IIISP		1511 011		
Description						Initials
Description						1 De la
nside Radii less than 3	/16" go/no go					
Acceptable shape defin						
Acceptable texture rete						1 1 1
Free of visual flaws (bu		etc				1 156
(<u>r</u> -,,					
		(Step 6)	Trimm	ing		
			Checklis			
		1711	JIICCKIIS	/	ordininging	
nspect dimensions hig	ahliahted on inche	ction sheet dra	swing D3	281 Rev. 19	and record below	N
ispect difficusions ing	ginighted on hispe	ction sheet are	iwing D3	201 Rev. p	and record colo	•
Drawing	Tolerance	Actual	Accept	Reject	Method of	Comments
Dimension		Dimension			Inspection	<u> </u>
18.6	. 1	18.68	-		TAPE	
17.1		17.1	<u> </u>		TAPE	
11:7		11.7			TAPE	
. 9 3	.030	954			CAL.	
,	.030	1331			CAC.	
· · · · · · · · · · · · · · · · · · ·						
					-	
Measured by: 🎜 🎜 🖟	A	udited by:	Vi 1		Prototype Appro	
Date: 07.70	.25.	Date: -	$\alpha \prime \cdot \prime \cdot \prime =$	ا ا ا و	L	ate: 07.10-29

Date

Rev

Change New Issue

Approved

Revised by